

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	IS&R	L1	3992	(382/141,190,197,199,203).C CLS.	US- PGPUB; USPAT	2007/02/26 10:18	
2	IS&R	L2	336	(348/86,92).CCLS.	US- PGPUB; USPAT	2007/02/26 10:19	
3	BRS	L3	163	extract\$3 same (edge\$4 or contour\$1 or outline\$1) same (direction\$1 or position\$3 or location\$1) same (inspect\$4 or measur\$6 or examin\$6) same (borows\$3 or navigat\$4 or search\$4 or find\$3)	US- PGPUB; USPAT	2007/02/26 10:22	
4	BRS	L4	108	3 same (imag\$3 or picture\$1 or photo\$6 or video)	US- PGPUB; USPAT	2007/02/26 10:23	
5	BRS	L6	14	1 and 4	US- PGPUB; USPAT	2007/02/26 10:43	
6	BRS	L7	38	((contour\$1 or outline\$1 or boundar\$3) near\$5 extract\$4) same (edge\$4 near\$5 search\$3)	US- PGPUB; USPAT; JPO	2007/02/26 10:44	
7	BRS	L8	15	7 same ((position\$3 or location\$1 or direct\$4) near\$6 edge\$4)	US- PGPUB; USPAT; JPO	2007/02/26 10:48	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L9	2659	382/199	US- PGPUB; USPAT; JPO	2007/02/26 10:48	
9	BRS	L10	16	7 and 9	US- PGPUB; USPAT; JPO	2007/02/26 11:07	
10	BRS	L11	19	(edge\$1 near\$5 (position\$3 or location\$1)) same voronoi	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:08	
11	BRS	L12	5	11 same search\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:10	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
12	BRS	L13	18	(search\$3 near\$5 edge\$1 near\$5 pattern\$1) same (outline\$1 or contour\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:11	
13	BRS	L14	17	13 same (position\$3 or location\$1 or direction\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:18	
14	BRS	L15	1	14 and lattice\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:19	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L16	9	(polygon\$2 or lattice\$1) same (edge\$1 near\$5 search\$4) same (position\$3 or location\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:23	
16	BRS	L17	467	(polygon\$2 or lattice\$1 or shape\$1) same (edge\$1 or position\$3 or location\$1) same search\$3 same (inspect\$4 or test\$3 or examin\$6)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:24	
17	BRS	L18	29	17 same (search\$3 near\$5 edge\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:25	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	L19	1	18 same coefficient\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:25	
19	BRS	L20	846	(edge\$1 near\$3 (position\$3 or location\$1)) same (polygon\$2 or shape\$1) same (weigh\$3 or kernel\$1 or coefficient\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:26	
20	BRS	L21	81	20 same (test\$3 or inspect\$4 or measur\$6)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:27	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
21	BRS	L22	2	21 same (vertex\$2 or corner\$1 or intersect\$4)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:28	
22	BRS	L23	2	20 same (search\$4 near5 edge\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:28	
23	BRS	L24	57	(polygon\$2 or voronoi) same (search\$4 near5 edge\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:32	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
24	BRS	L25	26	24 same (contour\$1 or outline\$1 or boundar\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:29	
25	BRS	L26	2	1 and 25	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:30	
26	BRS	L27	0	25 same (coefficient\$1 or weight\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:30	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L28	11	25 and (coefficient\$1 or weigh\$4 or kernel\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:31	
28	BRS	L29	33	(polygon\$2 or voronoi) same (search\$4 near2 edge\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:32	
29	BRS	L30	22	29 and (edge\$1 near3 (position\$3 or location\$1 or direction\$1))	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:33	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
30	BRS	L31	5	30 and voronoi	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:35	
31	BRS	L32	94	(extract\$3 near\$5 contour\$1) and pattern and (polygon\$2 or lattice\$1 or voronoi) and (edge\$1 near\$3 (position\$3 or location\$1)) and (kernel\$1 or weigh\$4 or coefficient\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:48	
32	BRS	L33	54	32 and inspect\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:48	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
33	BRS	L34	54	33 and pattern\$1	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:48	
34	BRS	L35	4	1 and 34	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2007/02/26 11:48	
35	BRS	L36	5	((edge\$1 near\$4 search\$3) near\$10 (polygon\$2 or voronoi)) same imag\$3	USPAT	2007/02/26 11:52	
36	BRS	L37	1100	edge\$1 same weigh\$4 same coefficient\$1	USPAT	2007/02/26 12:06	
37	BRS	L38	234	37 same imag\$3	USPAT	2007/02/26 12:07	
38	BRS	L39	51	38 same (location\$1 or position\$3)	USPAT	2007/02/26 12:07	
39	BRS	L40	54	38 same (location\$1 or position\$3 or coordinate\$1)	USPAT	2007/02/26 12:07	
40	BRS	L41	4	40 same (polygon\$2 or lattice\$1 or shape\$1)	USPAT	2007/02/26 12:10	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
41	BRS	L42	11	(edge\$1 near\$3 (position\$3 or coordinate\$1 or location\$1)) same coefficient\$1 same (contour\$1 or outline\$1)	USPAT	2007/02/26 12:12	
42	BRS	L43	13	(edge\$1 near\$3 (position\$3 or coordinate\$1 or location\$1)) same (weigh\$4 or coefficient\$1 or kernel\$1) same inspect\$4	USPAT	2007/02/26 14:49	
43	BRS	L44	0	382/141,199	USPAT	2007/02/26 14:49	
44	IS&R	L45	2245	(382/199,141).CCLS.	US- PGPUB; USPAT	2007/02/26 14:50	
45	BRS	L46	2518	((search\$4 or locat\$3 or find\$3 or track\$3 or trac\$3) near\$7 (edge near\$3 (position\$3 or coordinate\$1 or location\$1)) same (shape\$1 or geometric\$2 or polygon\$2 or voronoi)	US- PGPUB; USPAT	2007/02/26 14:52	
46	BRS	L47	204	46 same (inspect\$4 or test\$3 or measur\$6)	US- PGPUB; USPAT	2007/02/26 14:53	
47	BRS	L48	8	45 and 47	US- PGPUB; USPAT	2007/02/26 14:56	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
48	BRS	L49	40159	edge\$1 near1 position\$3	US- PGPUB; USPAT	2007/02/26 14:56	
49	BRS	L50	254	49 same search\$3	US- PGPUB; USPAT	2007/02/26 14:57	
50	BRS	L51	6	50 same polygon\$2	US- PGPUB; USPAT	2007/02/26 15:00	
51	BRS	L52	43	(extract\$4 near3 (outline\$1 or contour\$1)) same (edge\$1 near1 (position\$3 or location\$1 or coordinate\$1))	US- PGPUB; USPAT	2007/02/26 15:02	
52	BRS	L53	33	52 and (coefficient\$1 or weigh\$5)	US- PGPUB; USPAT	2007/02/26 15:02	
53	BRS	L54	11	53 and inspect\$4	US- PGPUB; USPAT	2007/02/26 15:08	
54	BRS	L55	2	micro-pattern same measur\$6 same sample	US- PGPUB; USPAT	2007/02/26 15:10	
55	BRS	L56	1	"5930391".pn.	US- PGPUB; USPAT	2007/02/26 15:12	
56	BRS	L57	1	"6181818".pn.	US- PGPUB; USPAT	2007/02/26 15:13	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	L58	7	(pattern\$1 near\$5 inspect\$4) same (contour\$1 or outline\$1) same (edge\$1 near\$2 (position\$3 or location\$1 or coordinate\$1))	US- PGPUB; USPAT	2007/02/26 15:14	

Printed by EAST

UserID: DMariam
Computer: WS07216
Date: 2/26/07
Time: 3:21 PM

Refine Search

Search Results -

Terms	Documents
L29 same (coefficient or weigh\$4 or kernel)	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L30

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, February 26, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>		
<u>L1</u>	extract\$4 same contour same edge\$4	1342	<u>L1</u>
<u>L2</u>	L1 same lattice	4	<u>L2</u>
<u>L3</u>	contour same (contour or edge) same (position\$3 or locat\$4) same weight same (lattice or grid\$4)	23	<u>L3</u>
<u>L4</u>	L3 same imag\$3	1	<u>L4</u>
<u>L5</u>	l1 and polygon\$3	216	<u>L5</u>
<u>L6</u>	L5 and (edge near5 (locat\$4 or position\$3))	96	<u>L6</u>
<u>L7</u>	L6 and ((find\$3 or search\$3) near10 edge\$4)	53	<u>L7</u>
<u>L8</u>	L7 and lattice	2	<u>L8</u>
<u>L9</u>	(search\$3 near10 edge near3 (locat\$4 or position\$3))	814	<u>L9</u>
<u>L10</u>	L9 same imag\$3	289	<u>L10</u>
<u>L11</u>	L10 same (lattice or grid\$4 or polygon\$2)	1	<u>L11</u>
<u>L12</u>	l10 and ((lattice or grid\$4) near10 weigh\$4)	4	<u>L12</u>

<u>L13</u>	extract\$4 same contour same pattern same edge\$4 same search\$4	22	<u>L13</u>
<u>L14</u>	L13 same (position\$3 or locat\$4)	14	<u>L14</u>
<u>L15</u>	L14 same (geometric\$2 or polygon\$3 or grid\$4 or lattice\$1 or star)	1	<u>L15</u>
<u>L16</u>	7177480.pn.	1	<u>L16</u>
<u>L17</u>	pattern same (inspect\$4 or measur\$6 or examin\$6) same contour same edge same search\$3	19	<u>L17</u>
<u>L18</u>	L17 and ((contour or outline) near3 extract\$4)	8	<u>L18</u>
<u>L19</u>	6772089.pn.	2	<u>L19</u>
<i>DB=USPT,PGPB; PLUR=YES; OP=ADJ</i>			
<u>L20</u>	('4804831' '5065344' '5572602' '6173070' '6263089' '6335985')![pn]	6	<u>L20</u>
<i>DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>			
<u>L21</u>	(search\$3 near10 edgeL near5 (direction or position\$3 or location)) same extract\$4	0	<u>L21</u>
<u>L22</u>	(search\$3 near10 edge near5 (direction or position\$3 or location)) same extract\$4	83	<u>L22</u>
<u>L23</u>	L22 same imag\$3	62	<u>L23</u>
<u>L24</u>	L23 and voronoi	1	<u>L24</u>
<u>L25</u>	L23 same (graph\$4 or geometr\$5 or polygon\$2)	7	<u>L25</u>
<u>L26</u>	search\$3 near5 edge near5 pattern	156	<u>L26</u>
<u>L27</u>	L26 same direction	48	<u>L27</u>
<u>L28</u>	L27 same imag\$3	32	<u>L28</u>
<u>L29</u>	L28 same (contour or outline or polygon\$2)	14	<u>L29</u>
<u>L30</u>	L29 same (coefficient or weigh\$4 or kernel)	1	<u>L30</u>

END OF SEARCH HISTORY

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

searching edge pattern inspecting image extra

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 10 of about **824,000** for **searching edge pattern inspecting image extract**. (0.36 seconds)**Keith Price Bibliography Matching Linear Features**

Inexact matching of line drawings in a syntactic **pattern** recognition ... **Edge** Feature Analysis by a Vectorized Feature **Extractor** and in Multiple Edges, ...
www.visionbib.com/bibliography/match-pl514.html - 53k - [Cached](#) - [Similar pages](#)

Image Analysis and Processing- Developer Zone - National Instruments

Using **Edge** Detection to Position a Region of **Inspection**. **Pattern** Matching. **Pattern** matching locates regions of a grayscale **image** that match a predetermined ...
zone.ni.com/devzone/cda/tut/p/id/3470 - 41k - [Cached](#) - [Similar pages](#)

[PDF] Online distance recovery for a sewer inspection robot - Pattern ...

File Format: PDF/Adobe Acrobat

A simplified. Hough transform is applied to the **edge image**, which. takes into account the restricted **search** range from 1. Figure 3 ...
ieeexplore.ieee.org/iel5/7237/19577/00905386.pdf - [Similar pages](#)

[PDF] An automatic wafer inspection system using pipelined image ...

File Format: PDF/Adobe Acrobat

matic **pattern inspection** system based on **image** analysis. is being strongly suggested ...
 binary **edge images** of the input **image**. Details of the cir- ...
ieeexplore.ieee.org/iel1/34/216/00003863.pdf?arnumber=3863 - [Similar pages](#)

[PDF] Searching Online Journals for Fluorescence Microscope Images ...

File Format: PDF/Adobe Acrobat - View as HTML

119-128. **Searching** Online Journals for Fluorescence Microscope **Images** Depicting Protein. Subcellular Location **Patterns**. Robert F. Murphy, Meel Velliste, ...
murphylab.web.cmu.edu/publications/80-murphy2001.pdf - [Similar pages](#)

S&TR | November 2006: Extracting Key Content from Images

GDM has also been successfully used in NIF optics **inspection** to **search** for diffraction **patterns** that signal defects. "GDM has been a gold mine for us," says ...
www.llnl.gov/str/Nov06/Paglieroni.html - 36k - [Cached](#) - [Similar pages](#)

Sensors - June 2001 - Vision Fundamentals

Edge detection; **Pattern** matching; Grayscale morphology ... If you can **extract** a clue regarding rotation from the **image**, you can simply rotate the template ...
archives.sensorsmag.com/articles/0601/44/main.shtml - 27k - [Cached](#) - [Similar pages](#)

[PDF] LNCS 3804 - Large-Scale Geospatial Indexing for Image-Based ...

File Format: PDF/Adobe Acrobat - View as HTML

Techniques that facilitate **search** and retrieval based on **image** content, ... local **edge patterns** (LEP) [12]. In the rotation-invariant LBP texture operator, ...
[www.ornl.gov/sci/ismv/pdfs/publications/GISPaper%20\(On-line%20Published%2011-30-05\).pdf](http://www.ornl.gov/sci/ismv/pdfs/publications/GISPaper%20(On-line%20Published%2011-30-05).pdf) - [Similar pages](#)

Apparatus and method for inspecting patterns on wafers - Patent ...

The **pattern inspecting** apparatus further comprises an internal memory 56 and an arithmetic module 60 activated during a procedure to **extract** reference **image** ...
www.freepatentsonline.com/7155366.html - 48k - [Cached](#) - [Similar pages](#)

Machine vision system

Precision machine vision **inspection** systems can be used to obtain precise ... **Search** tools enable a previously trained/stored **image pattern** to be acquired ...

www.electronics-manufacturers.com/info/video-equipment/machine-vision-system.html - 39k

- [Cached](#) - [Similar pages](#)

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google

[Sign in](#)

Google

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

searching edge pattern inspecting image extra

Search

[Advanced Search](#)
[Preferences](#)**Web** Results 11 - 20 of about 824,000 for **searching edge pattern inspecting image extract**. (0.18 seconds)**[PDF] Searching Online Journals for Fluorescence Microscope Images ...**

File Format: PDF/Adobe Acrobat

indicate the feasibility of developing **search** engines to find fluorescence microscope **images** depicting particular subcellular **patterns**. Introduction ...doi.ieeecomputersociety.org/10.1109/BIBE.2001.974420 - [Similar pages](#)**[PDF] ICPR'00: Online Distance Recovery for a Sewer Inspection Robot**

File Format: PDF/Adobe Acrobat

the sewer **image** to reduce the impact of small structures on **edge** extraction. Second, a 9x9 Laplace. Proceedings of the International Conference on **Pattern** ...doi.ieeecomputersociety.org/10.1109/ICPR.2000.905386 - [Similar pages](#)**[PDF] Block-Based Methods for Image Retrieval Using Local Binary Patterns**

File Format: PDF/Adobe Acrobat

was the **edge** histogram [10], that operates with **image** blocks and is included ... conventional **search** window approaches as it does not **extract** features for ...www.springerlink.com/index/C91H56KB4QJB5T3X.pdf - [Similar pages](#)**Method of analyzing visual inspection image data to find defects ...**5475766 "Pattern Inspection Apparatus With Ocner Rounding of Reference ... The array area template is formed by using color segmentation to **extract** the ...www.freepatentsonline.com/6330354.html - 63k - [Cached](#) - [Similar pages](#)**[PDF] An Empirical Study on Corner Detection to Extract Buildings in ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)Tracking During Power Line **Inspection**, **Image** and Vision. Computing, 21: 827-840, 2003.... SUSAN Method for **Image Edge** and Feature Detection, IEEE ...telin.ugent.be/~leydenmf/publications/ProRisc2004.pdf - [Similar pages](#)**Real-time automated visual inspection of color tablets in ...**In training mode, the **image** of defect-free blisters is used to **extract** the ... region and **edge** segmentation outputs. **Pattern Recognition** 1998;31:105-13. ...portal.acm.org/citation.cfm?id=942461 - [Similar pages](#)**[PDF] Gaze-Centric Image Analysis for Efficient Visual Search Umesh ...**File Format: PDF/Adobe Acrobat - [View as HTML](#)strongly influenced by low-level **image** features such as contrast and **edge** density. Given the rapidity and sheer volume of saccades during **search** tasks, ...live.ece.utexas.edu/publications/2006/ur_spie_newsroom.pdf - [Similar pages](#)**[PDF] Automated verification technology using CAD data**

File Format: PDF/Adobe Acrobat

In the next step, a radial **search** of **pattern** [D] is triggered by **edge patterns** in [C]. ...wiring **pattern inspection** technologies. Circuit Pat- ...

dx.doi.org/10.1002/(SICI)1520-684X(19990630)30:7%3C27::AID-SCJ4%3E3.0.CO;2-F -

[Similar pages](#)**Gaze-centric image analysis for efficient visual search**Despite recent advances in computer vision, **pattern** recognition, and **image** ... T. L. Arnow, A. C. Bovik, Finding corners in **images** by foveated **search**, Proc. ...

newsroom.spie.org/x3117.xml?highlight=x533 - 21k - [Cached](#) - [Similar pages](#)

[PDF] Machine Vision and Scientific Image Processing Software

File Format: PDF/Adobe Acrobat - [View as HTML](#)

morphology, **edge** detection, filtering, **image** processing, and. **pattern ... Pattern Matching.**

Learn Pattern. Search Pattern. Color. Learn Color. MatchColor ...

oldserver.ba.infn.it/~CMS_TRKR/gantry_files/imaq.pdf - [Similar pages](#)

Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) **Next**

searching edge pattern inspecting in

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2007 Google